



MILLENNIUM EDITION




ORIGINAL

New updated CD  
with interactive  
computer tour

# HOW COMPUTERS WORK

BEST AVAILABLE COPY

by Ron White



QA  
76.5  
.W488  
1999  
c.26

Illustrated by Timothy Edward Downs

# How Computers Work

*Millennium Edition*

01-19-01A11:43 RCVD

**Ron White**

**Illustrated by Timothy Edward Downs and Stephen Adams**

**que®**

A Division of Macmillan Computer Publishing, USA  
201 W. 103rd Street  
Indianapolis, IN 46290

**How Computers Work, Millennium Edition**  
**Copyright© 1999 by Que® Corporation.**  
**First printing: September 1999**

Publisher	Greg Wiegand
Executive Editor	Angela Wethington
Acquisitions Editor	Angelina Ward
Development Editor	Sarah Robbins
Managing Editor	Thomas F. Hayes
Project Editor	Leah Kirkpatrick
Copy Editor	Leah Kirkpatrick
Technical Illustrators	Timothy Edward Downs and Stephen Adams
Book Designers	Anne Jones and Dan Armstrong
Page Layout	Trina Wurst
Proofreader	Tricia Sterling
Indexer	Christine Nelsen

All other product names and services identified throughout this book are trademarks or registered trademarks of their respective companies. They are used throughout this book in editorial fashion only and not for the benefit of such companies. No such uses, or the use of any trade name, is intended to convey endorsement or other affiliation with the book.

No part of this publication may be reproduced in any form, or stored in a database or retrieval system, or transmitted or distributed in any form by any means, electronic, mechanical photocopying, recording, or otherwise, without the prior written permission of Que, except as permitted by the Copyright Act of 1976.

THE INFORMATION AND MATERIAL CONTAINED IN THIS BOOK ARE PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY CONCERNING THE ACCURACY, ADEQUACY, OR COMPLETENESS OF SUCH INFORMATION OR MATERIAL OR THE RESULTS TO BE OBTAINED FROM USING SUCH INFORMATION OR MATERIAL. NEITHER QUE NOR THE AUTHOR SHALL BE RESPONSIBLE FOR ANY CLAIMS ATTRIBUTABLE TO ERRORS, OMISSIONS, OR OTHER INACCURACIES IN THE INFORMATION OR MATERIAL CONTAINED IN THIS BOOK, AND IN NO EVENT SHALL QUE OR THE AUTHOR BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF SUCH INFORMATION OR MATERIAL. SO THERE.

Manufactured in the United States of America

Library of Congress Catalog No.: 98-85290

ISBN: 0-7897-2112-0

This book is sold as is, without warranty of any kind, either express or implied, respecting the contents of this book, including but not limited to implied warranties for the book's quality, performance, merchantability, or fitness for any particular purpose. Neither Que Corporation nor its dealers or distributors shall be liable to the purchaser or any other person or entity with respect to any liability, loss, or damage caused or alleged to have been caused directly or indirectly by this book.

00 6

Interpretation of the printing code: the rightmost double-digit number is the year of the book's printing; the rightmost single-digit number, the number of the book's printing. For example, a printing code of 99-1 shows that the first printing of the book occurred in 1999.

All terms mentioned in this book that are known to be trademarks or service marks have been appropriately capitalized. Que cannot attest to the accuracy of this information. Use of a term in this book should not be regarded as affecting the validity of any trademark or service mark. Que is a trademark of Macmillan Computer Publishing.

This book was written on a Hewlett-Packard 7370V, a Gateway Solo 2100, and an IBM Aptiva Pentium II using WordPerfect, Microsoft Word, Professional Capture System, Paint Shop Pro, Notes 4.5, Windows Explorer, Netscape Navigator, and a BitSURFR ISDN connection. Author's color proofs produced with Hewlett-Packard OfficeJet Pro 1150C. It was produced on a Power Macintosh G3, with the following applications: Adobe Illustrator, QuarkXPress, Microsoft Word, Adobe Photoshop, Aldus FreeHand, and Collage Plus.

## Introduction

**Part 1: Boot-Up Process 2**

Chapter 1	
Getting to Know the Hardware	10
Chapter 2	
How a Computer Wakes Up	16
Chapter 3	
How a Disk Boot Works	20
Chapter 4	
How an Operating System Controls Hardware	26
Chapter 5	
Computers of the Next Millennium	38

**Part 2: How Software Works 42**

Chapter 6	
How Programming Languages Work	56
Chapter 7	
How Windows Works	64
Chapter 8	
How Software Applications Work	76
Chapter 9	
How Software Will Work	102

**Part 3: Microchips 106**

Chapter 10	
How a Transistor Works	112
Chapter 11	
How RAM Works	116
Chapter 12	
How a Microprocessor Works	122
Chapter 13	
How Microchips Will Work	130

**Part 4: Data Storage 134**

Chapter 14	
How Disk Storage Works	140
Chapter 15	
How a Floppy Drive Works	152
Chapter 16	
How a Fixed Drive Works	156
Chapter 17	
How Disk Drives Increase Speed and Storage	160
Chapter 18	
How Removable Storage Works	168
Chapter 19	
How Storage Will Work	180

**Part 5: Input/Output Devices 184**

Chapter 20	
How Energy Turns Into Data	192
Chapter 21	
How a Bus Works	200
Chapter 22	
How Computer Ports Work	208
Chapter 23	
How a Keyboard Works	220
Chapter 24	
How a Computer Display Works	224
Chapter 25	
How Pointing Devices Work	232

Chapter 26	
How Game Controllers Work	238
Chapter 27	
How a Modem Works	244
Chapter 28	
How Scanners and Optical Character Recognition Work	252
Chapter 29	
How Portable Computers Work	258
Chapter 30	
How High-Tech Input/Output Works	266
Chapter 31	
How Input/Output Will Work	276

## **Part 6: Multimedia 280**

Chapter 32	
How CD-ROM and DVD Work	286
Chapter 33	
How Multimedia Sound Works	296
Chapter 34	
How Multimedia Video Works	306
Chapter 35	
How Virtual Reality Works	310
Chapter 36	
How Multimedia Will Work	320

## **Part 7: How the Internet Works 324**

Chapter 37	
How Local Area Networks Work	330
Chapter 38	
How a PC Connects to the Internet	340
Chapter 39	
How Email Works	350
Chapter 40	
How Internet Video and Audio Work	354
Chapter 41	
How the World Wide Web Works	360
Chapter 42	
How the Internet Will Work	368

## **Part 8: How Printers Work 372**

Chapter 43	
How Basic Printing Works	376
Chapter 44	
How Color Printing Works	386
Chapter 45	
How Printers Will Work	396
Index	398

**PERSONAL** computers have changed dramatically since the first edition of this book in 1993. Then, 5-1/4-inch floppy drives were still common, an Intel 80386 was a hot processor, and it was still a toss-up to see whether Windows or some other operating system would dominate PCs. Really. What wasn't even mentioned in the first edition and merited only a couple of chapters in the second edition—the Internet—has become an entire section that grows yearly. Many of the topics covered in this edition were not dreamed of back then—Internet video and audio, rewriteable DVD drives, accelerated 3D graphics, the universal serial bus, global satellite positioning, and computers—real ones, not toys—that fit in your shirt pocket and let you write on them. To the extent back then that something like speaking to your computer had been imagined, it was still something of science fiction, something for tomorrow. Well, tomorrow's here.

The change in PCs has been so rapid, so extensive, and so detailed, I could never have learned the tricks behind the new technologies without the help of a lot of knowledgeable people who were not only generous with that knowledge, but patient enough to explain it to me until the mental LED lit up.

I had the privilege of launching the *How It Works* feature in *PC Computing* in 1989, but over the years, many people have worked on the series, and several chapters are based on the research and explanations they've done. Deep thanks go to Margaret Ficklen, Herb Brody, Brett L. Glass, Marty Jerome, Raymond Jones, Matthew Lake, Liesl La Grange Noble, Jack Nimersheim, Randy Ross, Stephen Sagman, Jan Smith, Dylan Tweney, Doug van Kirk, Mark L. Van Name and Bill Catchings, Christine Grech Wendin, and Kenan Woods. Thanks to Preston Gralla for too many things to list.

I'm also grateful to the dozens of people in the PC industry who've shared their knowledge, schematics, and white papers to infuse *How Computers Work* with detail and accuracy. I'm particularly grateful to Joe Vandewater, Bryan Langerdoff, Dan Francisco, Tami Casey, John Hyde, Bill Kircos, Susan Shaw, and Seth Walker of Intel; Russell Sanchez and Adam Kahn of Microsoft; Jim Bartlett, Ellen Reid Smith, Tim Kearns, and Desire Russell for IBM, Barrett Anderson and Todd Hollinshead at id Software; Marcie Pedrazzi of Adaptec; Eileen Algaze at Rockwell; A.J. Rodgers, Jennifer Jones, and Susan Bierma of Tektronix; Ben Yoder and Lisa Santa Anna of Epson; Dewey Hou of TechSmith Corporation; Ray Soneira, author of Sonera Technologies' DisplayMate, Kathryn Brandberry and Doyle Nicholas of Thrustmaster; Dani Johnston of Microtek Lab; Lisa Tillman of The Benjamin Group; Dvorah Samansky for Iomega, Brandon Talaich of SanDisk, Chris Walker with Pioneer USA, Carrie Royce of Cirque Corporation, Andy Marken of Marken Communications, and Tracy Laidlaw of Beyond Words. If there are any mistakes in this book, I can't lay the blame on them.

In many ways, writing this edition of *How Computers Work* has been made much easier by the Internet. I didn't keep a complete list of every place on the Net I found useful information, but a couple of sites were particularly outstanding: Dictionary of PC Hardware and Data Communications Terms by Mitchell Shnier at <http://www.ora.com/reference/dictionary/tsearch.cgi> and the Free On-line Dictionary of Computing maintained by Paul Mayer at <http://wagner.princeton.edu/foldoc/index.html>. These and more are found in links on the book's Web page [www.howcomputerswork.net](http://www.howcomputerswork.net).

And thanks to the many staff members at *PC Computing* who shared their knowledge and time and to former PCC Publisher, Mike Edelhart, who started the ball rolling on this book. A special thanks to Jim Seymour and Nora Georgas for starting me on the road to excitement and danger that dog the professional computer journalist. At Que to John Pierce, Angie Wethington, Juliet Langley, Cindy Hudson, Melinda Levine, Lysa Lewallen, Sarah Robbins, and Leah Kirkpatrick for pulling everything together. Thanks to John Rizzo for tech editing and researching several chapters. And thanks to my wife, Sue, for her constant encouragement, spirit-raising, and humor while waiting for me to pop out of writing mode.

I learned long ago that a writer's skill depends largely on how well the writer can steal from others. In addition to just about every book in the *Que How It Works* series, four other books were invaluable for details on PC innards: *Understanding I/O Subsystems* by W. David Schwaderer and Andrew W. Wilson, Jr.; *Inside the IBM PC* by Peter Norton; *The PC Configuration Handbook* by John Woram; and *The Winn Rosch Hardware Bible* by Winn L. Rosch. Also helpful was *The Way Things Work* by David Macaulay, not only for its informative explanations of computers, but for its inspiring examples of how to combine text and art into clear explanations.

Finally, this book would not be what it is without the artwork of Timothy Edward Downs and Stephen Adams. Invariably, they transformed my Neanderthal sketches into clear, informative illustrations, but also managed to make them into wonderful works of art. As the original artist for the book and in his continuing work at *PC Computing*, Tim especially has created a new, visual way to communicate technology.

*Any sufficiently advanced technology is indistinguishable from magic.*

—Arthur C. Clarke

**SORCERERS** have their magic wands—powerful, potentially dangerous tools with a life of their own. Witches have their familiars—creatures disguised as household beasts that could, if they choose, wreak the witches' havoc. Mystics have their golems—beings built of wood and tin brought to life to do their masters' bidding.

We have our personal computers.

PCs, too, are powerful creations that often seem to have a life of their own. Usually they respond to a seemingly magical incantation typed at a C:> prompt or to a wave of a mouse by performing tasks we couldn't imagine doing ourselves without some sort of preternatural help. But even as computers successfully carry out our commands, it's often difficult to quell the feeling that there's some wizardry at work here.

And then there are the times when our PCs, like malevolent spirits, rebel and open the gates of chaos onto our neatly ordered columns of numbers, our carefully wrought sentences, and our beautifully crafted graphics. When that happens, we're often convinced that we are, indeed, playing with power not entirely under our control. We become sorcerers' apprentices, whose every attempt to right things leads to deeper trouble.

Whether our personal computers are faithful servants or imps, most of us soon realize there's much more going on inside those silent boxes than we really understand. PCs are secretive. Open their tightly sealed cases and you're confronted with poker-faced components. Few give any clues as to what they're about. Most of them consist of sphinx-like microchips that offer no more information about themselves than some obscure code printed on their impenetrable surfaces. The maze of circuit tracings etched on the boards is fascinating, but meaningless, hieroglyphics. Some crucial parts, such as the hard drive and power supply, are sealed with printed omens about the dangers of peeking inside, omens that put to shame the warnings on a pharaoh's tomb.

This book is based on two ideas. One is that the magic we understand is safer and more powerful than the magic we don't. This is not a hands-on how-to book. Don't look for any instructions for taking a screwdriver to this part or the other. But perhaps your knowing more about what's going on inside all those stoic components makes them all a little less formidable when something does go awry. The second idea behind this book is that knowledge, in itself, is a worthwhile and enjoyable goal. This book is written to respond to your random musings about the goings-on inside that box that you sit in front of several hours a day. If this book puts your questions to rest—or raises new ones—it will have done its job.

At the same time, however, I'm trusting that knowing the secrets behind the magician's legerdemain won't spoil the show. This is a real danger. Mystery is often as compelling as knowledge. I'd hate to think that anything you read in this book takes away that sense of wonder you have when you manage to make your PC do some grand, new trick. I hope that, instead, this book makes you a more confident sorcerer.



## Before You Begin

This book has been written with a certain type of personal computer in mind—the “Wintel,” a PC most often built around an Intel processor and running Microsoft Windows. Many of the specifics in these explanations apply only to that class of computer and those components. For Mac users, I suggest John Rizzo’s *How the Mac Works*, and that you do some serious thinking about switching.

In more general terms, the explanations also may apply to Macintosh computers, UNIX workstations, and even minicomputers and mainframes. But I’ve made no attempt to devise universal explanations of how computers work. To do so would, of necessity, detract from the understanding that comes from inspecting specific components.

Even so, there is so much variety even within the Intel/Microsoft world of PCs that, at times, I’ve had to limit my explanations to particular instances or stretch the boundaries of a particular situation to make an explanation as generic as possible. If you spot anything that doesn’t seem quite right in this book, I hope that my liberties with the particulars is the only cause.

Ron White  
San Antonio, Texas

*"I think there is a world market for maybe five computers."*

—Thomas Watson, chairman of IBM, 1943

**BEFORE** your personal computer is turned on, it is a dead collection of sheet metal, plastic, metallic tracings, and tiny flakes of silicon. When you push the On switch, one little burst of electricity—only about 3–5 volts—starts a string of events that magically brings to life what otherwise would remain an oversized paperweight.

Even with that spark of life in it, however, the PC is still stupid at first. It has some primitive sense of self as it checks to see what parts are installed and working, like those patients who've awakened from a coma and check to make sure that they have all their arms and legs and that all their joints still work. But beyond taking inventory of itself, the newly awakened PC still can't do anything really useful, certainly nothing we would even remotely think of as intelligent.

At best, the newly awakened PC can search for intelligence—intelligence in the form of an operating system that gives structure to the PC's primitive, amoebic existence. Then comes a true education in the form of application software—programs that tell the PC how to do tasks faster and more accurately than we could. The PC becomes a student who has surpassed its teacher.

But not all kinds of computers have to endure such a torturous rebirth each time they're turned on. You encounter daily many computers that spring to life fully formed at the instant they're switched on. You may not think of them as computers, but they are: calculators, your car's electronic ignition, the timer in the microwave, and the unfathomable programmer in your VCR. The difference between these and the big box on your desk is hard wiring. Computers built to accomplish only one task—and they are efficient about doing that task—are hard-wired. But that means they are more like idiot savants than sages.

What makes your PC such a miraculous device is that each time you turn it on, it is a *tabula rasa* (blank slate), capable of doing anything your creativity—or, more usually, the creativity of professional programmers—can imagine for it to do. It is a calculating machine, an artist's canvas, a magical typewriter, an unerring accountant, and a host of other tools. To transform it from one persona to another merely requires setting some of the microscopic switches buried in the hearts of the microchips, a task accomplished by typing a command or by clicking with your mouse on some tiny icon on the screen.

943 Such intelligence is fragile and short-lived. All those millions of microscopic switches are constantly flipping on and off in time to dashing surges of electricity. All it takes is an errant instruction or a stray misreading of a single switch to send this wonderful golem into a state of catatonia. Or press the Off switch and what was a pulsing artificial life dies without a whimper.

Then the next time you turn it on, birth begins all over again.


## How Computers Used to Work

At the end of the 20th century, computers are such complex beasts—despite their relative youth—that it's difficult to imagine how such elaborate contraptions could have sprung fully grown from the brows of their creators. The explanation is, of course, that they didn't. The development of computers has been an evolutionary process and often it's well nigh impossible to figure out which came first, the chicken of software or the egg of hardware.

Human attempts to create tools to manipulate data date back at least as far as 2600 B.C. when the Chinese came up with the abacus. Leonardo da Vinci created a mechanical calculator. When the slide rule was invented in 1621, it remained the mathematician's tool of choice until the electronic calculator took over in the early 1970s.


All the early efforts to juggle numbers had two things in common: They were mechanical and they were on a human scale. They were machines made of parts big enough to assemble by hand. Blaise Pascal's Arithmetic Machine used a system of gears turned by hand to do subtraction and addition. It also used punch cards for storing data, a method that's survived well into the 20th century.

In 1830 Charles Babbage invented—on paper—the Analytical Engine, which was different from its predecessors because, based on the results of its own computations, it could make decisions; such as sequential control, branching, and looping. But Babbage's machine was so complex that he died in 1871 without finishing it. It was built between 1989 and 1991 by dedicated members of the Science Museum in London. It was the physical size and complex mechanics of these mechanisms that limited their usefulness; they were only good for a few tasks, and they were not something that could be mass produced.



This portion of the Difference Engine #1, a forerunner to Charles Babbage's Analytical Engine—the first true computer—was completed in 1821. It contained 2,000 handmade brass parts. The entire machine would have used 25,000 parts and would have weighed 3 tons. The Analytical Engine was never completed, although part of it was built by Babbage's son, Henry, in 1910, and was found to be "buggy."

Courtesy of IBM



In 1888 Herman Hollerith, the founder of what was to become IBM, created a machine that used punched cards to tabulate the 1890 U.S. Census. The device tabulated the results in six weeks instead of the seven years it had taken to compile the census by hand.

*Courtesy of  
Smithsonian Institution*



The Eniac, built between 1943 and 1945, was the first all-electronic computer. It used so much power that legend says the lights of surrounding Philadelphia dimmed when the Eniac was switched on.

*Courtesy of  
Smithsonian Institution*

Mechanical devices of all types flourished modestly during the first half of the 20th century. Herman Hollerith invented a mechanized system of paper cards with holes in them to tabulate the U.S. census. Later, in 1924, Hollerith's Computing-Tabulating-Recording Company changed its name to International Business Machines.

Although no one could have known it at the time, the first break-through to the modern computer was in 1904 when John Ambrose Fleming created the first commercial diode vacuum tube, something Thomas Edison had discovered and discarded as worthless. The significance of the vacuum tube is that it was the first step beyond the human scale of machines. Until it came along, computations were made first by gears and then by switches. The vacuum tube could act as a switch turning on and off thousands of times faster than mechanical contraptions.

Vacuum tubes were at the heart of Colossus, a computer created by the British during World War II to break the codes produced by the German's Enigma encrypting machine. And the Germans reportedly came up with a general purpose computer—one not limited to a specific task as Colossus was. But the German invention was lost or destroyed in the war.

The war also gave birth to ENIAC (Electronic Numerical Integrator Analyzer and Computer), built between 1943 and 1945 by the U.S. Army to produce missile trajectory tables. ENIAC performed 5,000 additions a second although a problem that took two seconds to solve required two days to set up. ENIAC cost \$500,000, weighed 30 tons, and was 100 feet long and 8 feet high. It contained 1,500 relays and 17,468 vacuum tubes.

Those same tubes that made ENIAC possible in the first place, were also its Achilles' heel. Consuming 200 kilowatts of electricity each hour, the tubes turned the computer into an oven, constantly cooking its own components. Breakdowns were frequent. What was needed was something that did the job of the tubes without the heat, bulk, and fragility. And that something had been around since 1926.

In 1926 the first semiconductor transistor was invented, but it wasn't until 1947, when Bell Labs' William Shockley patented the modern solid-state, reliable transistor, that a new era in computing dawned. The transistor did essentially the same thing a vacuum tube did—control the flow of electricity—but it was the size of a pea and generated little heat. Even with the transistor, the few computers built then still used tubes. It wasn't until 1954, when Texas Instruments created a way to produce silicon


transistors commercially, that the modern computer took off. That same year IBM introduced the 650, the first mass-produced computer. Business and the government bought 120 of them the first year.

Four years later, Texas Instruments built the first integrated circuit by combining five separate components and the circuitry connecting them on a piece of germanium half an inch long. The integrated circuit led to the modern processor and has made a neverending contribution to smaller and smaller computers.

The computer grew increasingly smaller and more powerful, but its cost, complexity, and unswerving unfriendliness kept it the tool of a technological elite. It wasn't until 1975 that something resembling a personal computer appeared. The January issue of *Popular Electronics* featured on its cover something called the Altair 8800, made by Micro Instrumentation and Telemetry Systems (MITS). For \$367 customers got a kit that included an Intel 8080 microprocessor and 256 bytes of memory. There was no keyboard; programs and data were both entered by clicking switches on the front of the Altair. There was no monitor. Results were read by interpreting a pattern of small red lights. But it was a real computer cheap enough for anyone to afford. MITS got orders for 4,000 within a few weeks.


The new computer was at first a toy for hobbyists and hackers. They devised clever ways to expand the Altair and similar microcomputers with keyboards, video displays, magnetic tape, and then diskette storage. Two hackers—Stephen Jobs and Steve Wozniak—created a personal computer that came complete with display, built-in keyboard, and disk storage, and began hawking it at computer clubs in California. They called it the Apple, and it was the first personal computer that was powerful enough, and friendly enough, to be more than a toy. The Apple, along with computers from Radio Shack and Commodore, began appearing in businesses, sometimes brought in behind the backs of the people in white lab coats who ran the “real,” mainframe computers in a sealed room down the hall. The information services—or IS, as the professional computer tenders came to be called—disparaged the new computers as toys and at the same time they saw microcomputers as a threat to their turf.

The development that finally broke the dam, unleashing microcomputers on a society that would forever after be different, was not a technical invention. It was a marketing decision IBM made when creating its first personal computer, the IBM PC.



The first computer cheap enough for individuals to afford was the Altair 8800, created by a small New Mexico firm, MITS. It cost \$367 without a keyboard or screen.

Courtesy of  
The Computer Museum



The Apple, introduced in 1976, was an immediate hit partially because a program called Visicalc, which did the math of an electronic ledgersheet, justified the computer as a business cost.

Courtesy of Apple Corp.

IBM wanted to keep the price down, and so it decided to build the computer from components that were already available, off the shelf, from several suppliers. IBM also made the overall design of the PC freely available to competitors. The only part of the machine IBM copyrighted was the BIOS, the crucial basic input/output system, computer code residing in a single chip that defined how software was to interact with the PC's hardware. The competition could create their own PCs as long as they duplicated the operations of IBM's BIOS without directly copying it.

While Apple continued to keep its design proprietary, IBM's openness encouraged the creation of IBM clones that could use the same software and hardware add-ons the PC used. And the clones, while competing with IBM, at the same time helped establish the IBM architecture as the machine that software and add-on hardware developers would design for. Precisely because the IBM PC was an evolutionary rather than revolutionary creation, it was able to create the critical mass needed to bring personal computers into every office and home.

# Index

## Symbols

//, URLs, 362  
10BASE-T networks, 333  
100BASE-T networks, 333  
16-bit color display, 195  
16-bit expansion cards. *See* ISA expansion cards  
16-bit PCs, 113  
24-bit graphics, 93  
3.5-inch disks, 153-154  
3.5-inch floppy drives, 153  
    circuit board, 154-155  
    controller board, 154-155  
    cookie, 154  
    hub, 154  
    light-emitting diode, 155  
    photo-sensitive diode, 155  
    read/write heads, 154-155  
    shutter, 154  
    stepper motor, 154  
    write-protected, 155  
32-bit AGP (accelerated graphics port), 205  
32-bit EISA (Extended Industry Standard Architecture) expansion cards, 205  
32-bit MCA (Microchannel Architecture) expansion cards, 204  
32-bit PCI (Peripheral Component Interconnect) Local-Bus expansion cards, 205  
32-bit PCs, 113  
32-bit VESA Local-Bus (VL-Bus) expansion cards, 205  
3D audio, 304  
3D cards, 319  
3D graphics  
    creating characters, 318  
    virtual reality, 314-319  
3D videophones, 278  
486 processors, 124  
5.25-inch floppy disks, 154  
5.25-inch floppy drives, 153  
56K modems, 250-251  
8-bit expansion cards, 204  
8-bit graphics, 93

8088 processor (Intel), 124  
80x86 processor (Intel), 124

## A

A-law codec, 251  
AA (Auto Answer) modems, 249  
Absolute timing in pregroove (atip), 290  
AC (alternating electrical current), 198  
AC adapters, portable computers, 260  
AC/DC converters, 198  
Accelerated 3D graphics (virtual reality), 314-319  
Accelerated graphic port (AGP), 207, 319  
Accelerometers (virtual reality controllers), 312  
Access time (hard drive speed), 161  
Acknowledge line, 219  
Active-matrix color LCDs, 228-229  
Adapters, 201, 204-205  
ADC (analog-to-digital converter), 193-195  
    56K modems, 251  
    digital cameras, 196-197, 269  
    flatbed scanners, 255  
    joysticks, 241  
    scanners, 196-197  
    sound cards, 298-299  
    video, 309  
Additive color, 225, 388  
Address electrodes (digital light processing), 230  
Address lines (RAM), 118  
Addresses, memory (PC cards), 262  
ADSL (asynchronous DSL) connections, 347  
Advanced Micro Devices, 124  
Advanced Research Projects Agency (ARPA), 327  
AFIS (automated fingerprint identification system), 275  
AGP (accelerated graphic port), 207, 319  
AGP expansion slots, 13  
Algorithms, 82  
    print commands, 380  
    sound cards, 301  
Alpha blending, 317  
Altair 8800, 7  
Alternating electrical current (AC), 198  
ALU (arithmetic logic unit), 124  
AM (amplitude modulation), 143  
American National Standards Institute (ANSI), 77  
Amplitude (56K modems), 251  
Amplitude modulation (AM), 143



- Analog current, 307  
 Analog data  
   digital comparison, 193  
   signals, sampling, 194  
 Analog devices (telephone systems), 245  
 Analog local loop (56K modems), 250  
 Analog-to-digital converter. *See* ADC  
 Analytical Engine, 5  
 Animation, full polygon, 318  
 Annealing phase, erasing data (DVD-RAM), 295  
 ANSI (American National Standards Institute), 77  
 -ANT (attention line), 218  
 Antivirus software, 99  
 AOL (America Online), 351  
 Apple computer, invention of, 7  
 Application layer, network communications, 342  
 Applications. *See* Software  
 Arithmetic logic unit (ALU), 124  
 ARPA (Advanced Research Projects Agency), 327  
 ARPAnet, 327-328  
 Arrays, CCD, 197  
 ASCII, 117  
   codes  
     bitmapped fonts, 379  
     printer, 382  
   fonts, 379  
   notation representations, 119-121  
 Assembly language, 57-58  
 Asynchronous DSL (ADSL), 347  
 Atip (absolute timing in pregroove), 290  
 Atomic microchips, 132  
 Atoms, 142-143  
 Attaching files to email, 351  
 Attention line, 218  
 Attributes (text), 100, 378  
 Audio  
   compression, 305, 309  
   Internet, 355  
     bandwidth, 355  
     streaming, 355-357  
   Audio controllers, portable computers, 260  
   .AVI (audio/video interleave), 308-309  
  
**B**  
 Babbage, Charles, 5  
 Bandwidth, 347  
   Internet audio and video, 355  
   universal serial bus (USB), 215  
 Baran, Paul, 327  
 Baseball 3D (Microsoft), 318  
 Basic input/output system. *See* BIOS  
 Batteries  
   PC cards, 262  
   portable computers, 260  
 Baud. *See* Bits per second  
 Ben Day dots, 225  
 Bias/reset bus, 231  
 Bilinear filtering, 317  
 Binary numbers, 109, 117, 123  
   16-bit PCs, 113  
   32-bit PCs, 113  
   bits, 124  
   transistors, 113, 124  
 Binary trees, 87  
 BIOS (basic input/output system), 13, 18-19  
   drivers, 30-31  
   interrupts, 28-29  
   operating systems, 27  
   plug and play, 32-33  
 Bitmap tables (printers), 382  
 Bitmapped fonts, 377-379  
   ASCII, 379  
   attributes, 378  
   print commands, 378-379  
 Bitmaps, 72, 92, 225  
   color  
     8-bit, 93  
     24-bit, 93  
     bits per pixel requirements, 93  
     RLE (run-length encoding), 94  
   file extensions, 92  
   header signature ID, 92  
   pixels, 225  
     DAC converters, 95  
     locations, 92  
     storing values in adapter frame buffer, 95  
     turning on and off, 92  
 Bits, 113, 118-121, 124, 145  
   color bitmap pixel requirements, 93  
   quantum, 133



reading on disks, 144-145  
 writing on disks, 144-145  
 Bits per second, modems, 247  
 BIU (bus interface unit), 127  
 Blocks. *See* Clusters  
 .BMP file extension, 92  
 Boolean logic, 59, 113  
 Boot program, 18  
 Boot record, 22-23  
 Boot-up, 4, 11, 17-19, 22-25  
   operating systems, 21  
   POST (power-on self-test), 11, 17, 21  
 Brackets, session layers, 343  
 Branch target buffers (BTBs), 127  
 Branching, 59, 127  
 Bricklin, Dan, 47, 80  
 Bridges (Internet), 345  
 Broadcast mediums, 348  
 Browsing World Wide Web (WWW), 361  
 -BSY (busy line), 218  
 BTBs (branch target buffers), 127  
 Buffers, printers, 382-383  
 Bugs, 186  
   Y2K  
     Crouch-Echlin effect, 35  
     software, 35  
 Bus, 201  
   EISA (Extended Industry Standard Architecture), 202  
   expansion cards, 201  
   external (portable computers), 261  
   ISA (Industry Standard Architecture) bus, 201  
   local bus, 202  
   PCI (Peripheral Component Interconnect), 201, 203, 206  
   VESA (Video Electronics Standards Association), 201, 203  
   MCA (Microchannel Architecture), 202  
   traces, 201  
   USB (universal serial bus), 209, 214-215  
     bandwidth, 215  
     host hub, 214  
 Bus interface unit (BIU), 127  
 Bus networks, 331, 334-335  
 Bus speeds, 126

Busy line, 218  
 Bytes, 121

## C

C programming language, 58  
 Cable modems, 348-349  
 Cables, 333  
 Caches, 186, 365  
   D-caches, 127  
   I-caches, 127  
   L2, 127  
   processors, 125-126  
 Caching  
   hard drives, 161  
   texture maps, 319  
 Calculation engines, 91  
 Calling routines, 58  
 Cameras. *See* Digital photography  
 Camouflage (viruses), 98  
 Capacitance (touchpads), 236  
 Capacitors, 15, 241  
   closed, 119-121  
   switches, 119-121  
 Capture cards (Internet video), 358  
 Carrier Detect (CD) signal, 246, 248  
 Carrier signal, modems, 246  
 Cases, 12  
 Cathode ray tubes (CRTs), 108  
 CCD (charge-coupled device), 193, 196-197, 241, 268  
 CD (Carrier Detect) signal, 246-249  
 CD-R (CD-Recordable), 287, 290-291  
 CD-Rewritable (CD-RW), 287, 294-295  
 CD-ROMs, 287  
   constant linear velocity, 289  
   drives, 12, 261, 288-289  
 CD-RW (CD-Rewritable), 287, 294-295  
 CDB (command descriptor block), 219  
 Celeron processors, 125  
 Cells (spreadsheets), 80  
 Central processing units (CPUs), 11-12, 17-18, 123-124  
 Centronics ports. *See* Parallel ports  
 Characters, creating for 3D worlds, 318  
 Charge-coupled device (CCD), 193, 196-197, 241  
 Chassis, 12



- Chips
  - EPROM (erasable, programmable, read-only memory), 31
  - surface mounting, 15
- Chording (keyboards), 189
- Circuit boards, 14-15, 154-155
- Clamping electrical noise (surge protectors), 199
- Clear to Send (CTS) signal, 248
- Client software (email), 351-352
- Clients, 331-332
- Clipboard, 72-73
- Clocks, 9, 13
- Closed capacitors, 119-121
- Clusters, 162
  - contiguous, 166
  - slack, 162
  - tracks, 146
  - writing to disks, 149
- CMOS, 13, 216
  - chips, 19
- Coaxial cables, 333
- Code. *See* Source code
- Codecs
  - interframe video compression, 358
  - symbols
    - 56K modems, 251
- Codecs (compression/decompression), 358
  - corrupt video packets, 359
  - IP multicast video packets, 359
  - UDP video packets, 359
- Color
  - additive, 225, 388
  - creating, 388-389
  - digital light processing, 231
  - display of, 77
  - dithering, 389
  - high color, 195
  - LCDs, polarizing filters, 228-229
  - monitors
    - phosphor current streams, 95
    - Super-VGA, 226
  - subtractive color, 388
- Color bitmaps
  - 8-bit, 93
  - 24-bit, 93
  - bits per pixel requirements, 93
  - pixels, 95
  - RLE (run-length encoding), 94
- Color printers, 388-389
  - ink-jet, 390-391
  - laser, 387, 392-393
  - thermal, 387
- Colossus computer, 6
- Command descriptor block, 219
- Commenting source code, 103
- Common ground connection (serial ports), 212
- Communications applications, 78
- Compilers, 57
- Compound documents, 74
- Compressed volume, 163
- Compression
  - audio signals, 309
  - bitmaps, RLE (run-length encoding), 94
  - disk compression, 162-163
  - file compression, 164-165
  - hard drives, 161
  - lossless compression, 164
  - lossy compression, 165
  - MPEG (Motion Pictures Expert Group), 307
  - video, 308-309, 358-359
- Computer Science Network (CSN), 328
- Computers
  - booting, 4
  - components, 12-13
  - history of, 5-8, 109
  - human interaction with, 188-189
  - IBM PC, invention of, 39-41
  - portable. *See* Portable computers
  - predictions about, 38-41
- Conductors, 142
- Configuration manager, 32
- Connections
  - DSL, 346
  - master, 216
  - networks, 333
  - point-to-point, 346
  - slave, 216
- Constant angular velocity (magnetic disks), 289
- Constant linear velocity (CD-ROMs), 289
- Contact switches (joysticks), 241
- Contiguous clusters, 166
- Continuous-tone printing, 387



Controller board, 3.5-inch floppy drives, 154-155  
 Controllers, hard drives, 158  
 Convergence, 267  
 Cookies  
   3.5-inch floppy drives, 154  
   Zip drives, 170-171  
 Cooperative multitasking, 68-69  
   memory, 67  
   queues, 69  
   registers, 69  
 Coprocessors, 124, 319  
 Corrupt packets (video), 359  
 CP/M-86 operating system, 52  
 CPUs (central processing units), 11-12, 17-18, 123-124  
 CRC (cyclic redundancy check), 176  
 CRTs (cathode ray tubes), 108, 226  
   dot pitch, 227  
   phosphors, 227  
   raster scanning, 227  
 CSNET (Computer Science Network), 328  
 CTS (Clear to Send) signal, modems, 248  
 Curie point, magneto-optical drives, 172  
 CVF (compressed volume file), 163  
 Cyberpuck, 239  
 Cyclic redundancy check (CRC), 176  
 Cyrix, 124

## D

D-caches, 127  
 D2T2 (dye diffusion thermal transfer) printers, 387  
 DAC (digital-to-analog converter), 193-195, 309  
   56K modems, 251  
   converting pixel values, 95  
   S-VGA adapters, 226  
   sound cards, 298  
 Daisy chains, 217  
 DAT (digital audio tape) drives, 169, 178-179  
 Data, 77  
   converting energy into, 193-196  
   downstream, 347  
   erasing, annealing phase (DVD-RAM), 295  
   linking (databases), 80  
   reading, RAM, 120-121  
   saving, 30-31

  sharing  
     OLE, 74-75  
     Windows Clipboard, 72-73  
   upstream, 347-348  
   writing to RAM, 118-119  
 Data bits (modems), 247  
 Data caches, 127  
 Data formats, 79  
 Data gloves (virtual reality), 313  
 Data lines (RAM), 118  
 Data packet (modems), 247  
 Data Set Ready (DSR) signal, 246  
 Data storage, history, 136-138  
 Data Terminal Ready (DTR) signal, 246  
 Data transfers  
   Internet, 341, 344  
   bridges, 345  
   gateways, 345  
   hubs, 345  
   packets, 344  
   protocols, 344  
   repeaters, 345  
   priorities, 215  
 Data types, 79, 84  
 Data-link layer (network communications), 342  
 Database managers, 78-80  
   flat file, 79  
   relational, 79  
 Databases, 78  
   data types, 84  
   fields, validating data, 84  
   finding records, 84  
   fixed-length fields, 84  
   forms, 85  
   indexes, 86-87  
   memo files, 85  
   pointers, 86  
   records, 84, 86-87  
   relational, 88-89  
   reports, 89  
   tables, 88  
   variable-length fields, 85  
 DC (direct current), 198  
 Decimal numbers, 145  
 Decoders (processors), 127  
 Decompression, hard drives, 161  
 Deep Blue, 104



- Defragmenting
  - disks, 166-167
  - hard drives, 161
- Deleting files from disks, 148
- Delivery (viruses), 98
- Delta (video), 308
- Demodulating modems, 245
- Desktop publishing, 374
- Detector, CD-ROMs, 288
- Device drivers, 31, 33
- Diamonds, building microchips with, 132
- Dictionary, file compression, 164
- Digital audio tape (DAT) drives, 169, 178-179
- Digital cameras, 196-197
- Digital data, 193-194
- Digital devices, PCs, 245
- Digital light processing, 230
  - address electrodes, 230
  - bias/reset bus, 231
  - hues of color, creating, 231
  - landing pads, 231
  - LCD projectors, 230
  - mirrors as pixels, 231
  - torsion hinges, 230
- Digital photography, 267
  - ADCs (analog-to-digital converters), 269
  - CCDs (charge-coupled devices), 268
  - DSPs (digital signal processors), 269
  - image storage, 269
- Digital signal processors. *See* DSPs
- Digital sound, 302-303
- Digital subscriber lines. *See* DSL connections
- Digital video disc. *See* DVDs
- Digital-to-analog converter. *See* DAC
- Digitizing tablets (pointing devices), 233
- DIMMs (Dual In-line Memory Modules), 121
- Diode vacuum tubes, 6
- Diodes
  - 3.5-inch floppy drives, 155
  - flatbed scanners, 255
- Dip switches, 15
- Direct current (DC), 198
- Disk caching. *See* Caching
- Disk defragmenting, 166-167
- Disk operating system (DOS), 52, 141, 146
- Disks
  - 3.5-inch disks, 153
  - 5.25-inch floppy disks, 154
  - deleting files, 148
  - formatting, 146
  - magnetic. *See* Magnetic disks
  - reading
    - bits, 144-145
    - files from, 150-151
  - writing to, 148
    - bits, 144-145
    - clusters, 149
    - end of file marker, 149
  - Zip, 170-171
- Display drivers, 101
- Displays
  - additive color, 225
  - Ben Day dots, 225
  - bitmaps, 92, 225
    - color, 93
    - file extensions, 92
    - pixel locations, 92
    - pixels, 95, 225
    - RLE (run-length encoding), 94
  - digital light processing, 230
    - address electrodes, 230
    - bias/reset bus, 231
    - hues of color, 231
    - landing pads, 231
    - LCD projectors, 230
    - mirrors as pixels, 231
    - torsion hinges, 230
  - eyepiece displays, 259
  - LCDs (Liquid Crystal Displays), 228-229
    - active-matrix, 228-229
    - passive-matrix, 228-229
    - polarizing filters, 228-229
  - palmtop PCs, 264
  - phosphor current streams, 95
  - portable computers, 261
  - Super-VGA monitors
    - adapters, 226
    - CRTs (cathode-ray tubes), 226-227
    - interlaced, 227
    - magnetic deflection yokes, 226
    - possible colors, 226
    - refresh rates, 226
    - shadow masks, 227
- Distribution hubs, 348
- Dithering (color), 389

DLLs (dynamic link libraries), 70-71, 74-75  
 DNS (Domain Name System), Web browsers, 363  
 Docking stations (portable computers), 261  
 Documents  
     compound, 74  
     formats, 72  
 Dolby sound, 302-303  
 Domain Name System, 363  
 Domain names, 341  
     email, 352  
     URLs, 362  
 DOS (disk operating system), 52, 141, 146  
 Dot matrix printers, 377, 382-383  
 Dot pitch (CRTs), 227  
 Dots, color printing, 389  
 Double buffering, 319  
 Downstream data, 347  
 Drain (silicon), 114-115  
 DRAM (Dynamic random access memory), 121  
 Drawing vector graphics, 97  
 Drive arrays (hard drives), 157  
 Drivers  
     BIOS, 30-31  
     devices, 31, 33  
 Drives  
     CD-ROM, 12, 288-289  
     DVD, 13  
     floppy, 12  
     floptical, 173  
     hard, 12  
     magneto-optical, 172  
     portable computers, 261  
     removable, 12  
     removable hard, 174-175  
     tape, 12  
         DAT (digital audio tape), 178-179  
         QIC (quarter-inch cartridge), 176-177  
 DSL (digital subscriber line) connections, 346-347  
     modems, 245  
     predictions about, 369  
     transmission rates, 347  
 DSPs (digital signal processors), 269  
     MIDI (musical instrument digital interface), 300-301  
     sound cards, 299  
 DSR (Data Set Ready) signal, 246  
 DTR (Data Terminal Ready) signal, 246

Dual In-line Memory Modules (DIMMs), 121  
 Dual-ported memory, 319  
 Dumb terminals, 332  
 Duplexes (modems)  
     full-duplexes, 247  
     half-duplexes, 247  
 DVD-RAM, 294-295  
 DVDs (digital video discs), 13, 287, 292-293  
 Dvorak keyboard, 189  
 Dye diffusion thermal transfer (D2T2) printers, 387  
 Dynamic link libraries (DLLs), 70-71, 74-75  
 Dynamic random access memory (DRAM), 121

## E


E-books, 397  
 ECCs (Error Correcting Codes), 121  
 Edge connectors, 15  
 Edison, Thomas, 45, 108  
 Edison effect, 108  
 EDO RAM (Extended Data Out random access memory), 121  
 EIDE (Enhanced Integrated Device Electronics), 209, 216  
 EISA (Extended Industry Standard Architecture) bus, 202  
 Electric arcs, 187  
 Electrical noise, 187, 199  
 Electricity, 142  
     converting into data, 193-196  
     resistance, 187  
     speed, 186-187  
     surge protectors, 199  
     UPS, 198  
 Electromagnetic (EM) fields, 142-143  
 Electromagnetic radiation spectrum, 143  
 Electromagnetism, 142-143, 187  
 Electromagnets, printers, 383  
 Electronic ink, 396-397  
 Electronic mail. *See* Email  
 Electronic Numerical Integrator Analyzer and Computer (ENIAC), 6  
 Electrons, 142  
 EM (electromagnetic) fields, 142-143  
 Email, 351  
     AOL (America Online), 351  
     attaching files, 351  
     client software, 351-352

domain name server, 352  
gateways, 352  
LAN, 351  
list server, 351  
mail reflector, 351  
mailing lists, 351  
POP (post office protocol), 351, 353  
routers, 352  
sending, 352-353  
server software, 351  
SMTP (simple mail transfer protocol), 351-352  
Embedding (OLE), 75  
Encoders, mouse, 234  
End of file marker (writing to disks), 149  
Energy, converting into data, 193-196  
Enhanced Integrated Device Electronics (EIDE), 209, 216  
ENIAC (Electronic Numerical Integrator Analyzer and Computer), 6, 46  
Enumerators, 32-33  
EPROM chips (erasable, programmable, read-only memory), 31  
Eraserheads (pointing devices), 233  
Erasing data, annealing phase (DVD-RAM), 295  
Ergonomics, keyboards, 221  
Error Correcting Codes (ECCs), 121  
Error correction  
  parity bits (modems), 247  
  quarter-inch cartridge tape drives, 177  
Ethernet cards, 333  
Ethernet networks, 331, 334-335  
Event watching (viruses), 98  
Expansion bus. *See* Bus  
Expansion cards, 201, 204-205  
Expansion slots, 13, 201-202  
Extended Data Out random access memory (EDO RAM), 121  
Extended Industry Standard Architecture (EISA) bus, 202  
Extensible markup language (XML), 371  
External bus (portable computers), 261  
Eyepiece displays, 259

## F

Fans, 13, 260  
Fast Ethernet networks, 333

FAT (file allocation table), 146, 159  
Fat clients, 332  
Feature extraction (OCR), 257  
Fetch/decode unit (processors), 127  
FID (Fingerprint Identification) software, 272-273  
Field programmable gate arrays (MP3 players), 305  
Fields, 79  
  CRT raster scanning, 227  
  validating data, 84  
File allocation table (FAT), 146, 159  
File compression  
  dictionary, 164  
  LZ (Lempe and Ziv) adaptive dictionary-based algorithm, 164  
  zipping files, 164  
File server, 331  
Files  
  attaching to email, 351  
  bitmapped  
    color, 93  
    extensions, 92  
    header signature IDs, 92  
    pixel location data, 92  
    pixels, 95  
    RLE (run-length encoding), 94  
  compressing, 358-359  
  deleting from disks, 148  
  fragmented, 166  
  reading from disks, 150-151  
  restoring from tapes, 177, 179  
  system, 9  
  zipping, 164  
Fills (vector graphics), 97  
Filtering data (databases), 79  
Filters, polarizing (color LCDs), 228-229  
Fingerprint recognition, 267  
  IVS (identity verification system), 273  
  software, 272  
Firing chambers (color ink-jet printers), 390-391  
Firmware, printer fonts, 380  
Fixed-length fields, 84  
Flash memory (RAM), 117  
Flat file database managers, 79  
Flatbed scanners, 253-255  
  ADC (analog-to-digital converter), 255  
  diodes, 255  
Fleming, John, 6, 108



Floating point numbers  
 MMX, 128  
 Pentium III, 129  
 processors, 124, 126  
 Floating point unit (FPU)  
 MMX, 128  
 Pentium III, 129  
 Floppy disks. *See* Disks  
 Floppy drives, 12  
 3.5-inch floppy drives, 153  
 5.25-inch floppy drives, 153  
 portable computers, 261  
 Floptical disks, 173  
 Floptical drives, 173  
 Flow charts, 59  
 FM (frequency modulation), 143  
 FM synthesis, sound cards, 301  
 Focusing coil (CD-ROMs), 288  
 Fogging, 317  
 Fonts  
 ASCII, 379  
 attributes, 378  
 bitmapped, 377-379  
 outline, 377, 380-381  
 printer commands, 381  
 printers, firmware, 380  
 Force-feedback joysticks, 239, 242-243  
 Formats (sharing data), 72-73  
 Formatting  
 disks, 141, 146  
 inline, 100  
 text, 100-101  
 Forms (databases), 89  
 Forms (spreadsheets), 90-91  
 FPU (floating point unit)  
 MMX, 128  
 Pentium III, 129  
 Fragmented files, 166  
 Frame buffers (video adapters), 95  
 Frankston, Bob, 80  
 Freeware, 49-50  
 Frequency modulation (FM), 143  
 Full adders, 113  
 Full polygon animation, 318  
 Full-duplex modems, 247  
 Functions, sharing (Windows), 70-71  
 Fusing systems (laser printers), 384

Future of computing, 38-41  
 I/O, 276-279  
 Internet, 368-371  
 microchips, 130-133  
 multimedia, 320-323  
 pancomputer, 40-41  
 printers, 396-397  
 software, 102-105  
 storage, 180-183  
 Fuzzy logic, 104

## G

G-Lite DSL, 347  
 Game controllers  
 Cyberpuck, 239  
 joysticks, 239-241  
 force-feedback, 239, 242-243  
 pointing devices, 233  
 sensing positions, 241  
 top hat, 241  
 X-Y axis coordinates, 240  
 Y-adapter, 240  
 yokes, 240  
 Gateway software, AOL (America Online), 351  
 Gateways  
 email, 352  
 Internet, data transfer, 345  
 GDI (graphic device interface), 66, 72-73  
 Gesture recognition, 267  
 Gigabit Ethernet networks, 333  
 GPSs (global positioning systems), 267, 270-271  
 Graffiti (handwriting recognition), 265  
 Graphic device interface (GDI), 72-73  
 Graphical user interfaces (GUIs), 65, 81  
 Graphics  
 3D, 319  
 bitmapped files  
 file extensions, 92  
 header signature IDs, 92  
 bitmaps  
 8-bit, 93  
 24-bit, 93  
 compression, 165  
 object-oriented, 72  
 vector, 96  
 changing attributes, 97  
 point locations, 96  
 viewing transform, 97



Graphics applications, 82-83  
 bitmapped graphics, 92-95  
 vector graphics, 96-97  
 Graphics Device Interface (GDI), 72-73  
 Graphics programs, 78  
 Group coding (modems), 247  
 GUIs (graphical user interfaces), 65, 81

## H

Half adders, 113  
 Half-duplex modems, 247  
 Hand-held PCs, 259, 264-265  
 Hand-held scanners, 253  
 Handshake (modems), 247  
 Handwriting recognition (palmtop PCs), 265  
 Hard drives, 12  
 access time, 161  
 caching, 161  
 compression, 161  
 decompression, 161  
 defragmenting, 161  
 drive arrays, 157  
 functions of, 158-159  
 history, 137-138, 157  
 MO (magneto-optical), 181-182  
 OAW (optically-assisted Winchester), 181-182  
 platters, 157  
 predictions about, 180-183  
 read/write heads, 137  
 removable, 174-175  
 speed of, 161  
 storage, 161  
 Hard wiring, 4  
 Hardware tree, 33  
 Head actuators (hard drives), 158-159  
 Headers  
 bitmaps, 92  
 documents, 100  
 Helmets (virtual reality), 313  
 Hertz (Hz), 143  
 Heuristic detectors, 99  
 HFC (hybrid fiber coaxial) cable, 348  
 Hidden views, 315-316  
 High color, 195  
 High-level programming languages, 57  
 Hollerith, Herman, 6

Holographs  
 3D projections, 278  
 storage, 182-183  
 Hooper, Grace, 186  
 Horizontal positions (vector graphics), 96  
 Host computers, 332  
 Host hub, universal serial bus (USB), 214  
 HS (High Speed) modems, 249  
 HTML (hypertext markup language), URLs, 362  
 HTTP (hypertext transfer protocol), URLs, 362  
 Hubs  
 3.5-inch floppy drives, 154  
 Internet, data transfer, 345  
 star networks, 336  
 Human/computer interaction, 188-189  
 Hybrid fiber coaxial (HFC) cable, 348  
 Hyperlinks, 362  
 Hz (hertz), 143

## I

I-caches, 127  
 I/O devices  
 advances, 189-190  
 human/computer interaction, 188-189  
 predictions about, 276-279  
 speed of electricity, 186-187  
 I2 (Internet2), 369  
 IBM  
 650 computer, 7  
 founding of, 6  
 PC, invention of, 7-8, 39-41  
 IDE (integrated drive electronics)  
 connectors, 216  
 disk controller, 13, 30-31  
 hard drives, 158  
 Images  
 storing (digital photography), 269  
 vector, 96  
 changing attributes, 97  
 point locations, 96  
 viewing transform, 97  
 Immersion (virtual reality), 311-312  
 IMP (interface message processor), 328  
 Impact printers, 382-383  
 Indexes (databases), 80, 86-87  
 Industry Standard Architecture. *See* ISA





- Infrared lasers, CD-RW (CD-Rewritable), 295
  - Infrared ports (portable computers), 261
  - Initiator (SCSI controllers), 218
  - Ink-jet printers, 387, 390-391
  - Inline formatting, 100
  - Input, 58
  - Input plane (palmtop PCs), 265
  - Input/output controllers, 201
  - Instruction caches, 127
  - Instruction pool, 127
  - Integrated services digital network (ISDN), 245, 309
  - Intel processors
    - 8088, 124
    - 80x86, 124
    - Gordon Moore, 130
    - Pentium, 124-127
      - MMX, 128
      - Pentium III, 129
  - Interaural intensity difference (sound), 304
  - Interaural time difference (sound), 304
  - Interface message processor (IMP), 328
  - Interfaces, future developments, 40-41
  - Interframe video compression, 358
    - corrupt packets, 359
    - IP multicast packets, 359
    - UDP packets, 359
  - Interlacing, Super-VGA monitors, 227
  - Internet, 326-327, 341
    - access
      - routers, 344
      - through T-connections, 344
    - audio, 355
      - bandwidth, 355
      - streaming, 355-357
    - data transfer, 341, 344
      - bridges, 345
      - gateways, 345
      - hubs, 345
      - packets, 344
      - protocols, 344
      - repeaters, 345
    - history, 327-328
    - multimedia and, 283
    - as organism, 326
    - predictions about, 368-371
    - structure, 327
      - video, 355, 358-359
        - bandwidth, 355
        - capture cards, 358
        - corrupt packets, 359
        - IP multicast packets, 359
        - streaming, 355
        - UDP packets, 359
      - World Wide Web (WWW), 361
  - Internet provider (IP), 363
  - Internet2 (I2), 369
  - Interpreters, 57, 62-63
  - Interrupt, 28-29
  - Interrupt controller, 28-29
  - Interrupt return (IRET), 29
  - Interrupt tables, 29
  - Interrupt transfers, 215
  - Interrupt vectors, 29
  - Iomega Zip drives, 170-171
  - IP (Internet provider), 363
  - IP packets, 348, 359
  - IRET (interrupt return), 29
  - ISA (Industry Standard Architecture)
    - bus, 201
      - expansion cards, 204
      - expansion slots, 202
  - ISDN (integrated services digital network), 245, 309
  - Isochronous, highest priority data transfers, 215
  - IVS (Identity Verification System), 273
- J**
- Jacquard, Joseph Marie, 45
  - Java programming language, 58
  - JEU (jump execution unit), 126
  - JND (just noticeable difference), 303
  - Jobs, Stephen, 7
  - Johnson, Regnold B., 137
  - Jot (handwriting recognition), 265
  - Joysticks, 239-241
    - force-feedback, 239, 242-243
    - pointing devices, 233
    - sensing positions, 241
    - top hat, 241
  - X-Y axis coordinates, 240
  - Y-adaptor, 240
  - yokes, 240
  - .JPG file extension, 92



Jumper pins, 15  
 Jump execution unit (JEU), 126  
 Just noticeable difference (JND), 303

## K

Kasparov, Garry, 104  
 Kernels, 58  
 Key bytes, 94  
 Keyboards, 221-223  
     chording, 189  
     Dvorak keyboards, 189  
     ergonomics, 221  
     portable computers, 261  
     ports, 13  
     scan codes, 222-223  
 KHz (kilohertz), 143  
 Killer apps, 47  
 Kinetoscope, 45

## L

L2 caches, 127  
 Landing pads (digital light processing), 231  
 Lands  
     CD-ROMs, 288  
     DVDs, 292  
 LANs, 331, 344  
     cables, 333  
     clients, 332  
     connecting, 333  
     email, 351  
     nodes, 332  
     peer-to-peer networks, 332  
     phone/power line, 338-339  
     servers, 332  
 Laptops. *See* Portable computers  
 Laser printers, 384-385, 392-393  
 LCDs (Liquid Crystal Displays), 312  
     color, 228-229  
     palmtop PCs, 264  
     LCDs, 228-229  
     projectors, 230  
 Light-emitting diode (LED), 241  
     3.5-inch floppy drives, 155  
     force-feedback joysticks, 243  
 Light-sensing diode (CD-ROMs), 289  
 Line conditioning, 199



Link markers, 74  
 Linking (OLE), 74  
 Linking data (databases), 80  
 Liquid Crystal Displays. *See* LCDs  
 List server (email), 351  
 Local area networks. *See* LANs  
 Local bus, 202  
     PCI (Peripheral Component Interconnect),  
         202-203, 206  
     Video Electronics Standards Association (VESA),  
         202  
 Local control loop (force-feedback joysticks), 243  
 Logic board (hard drives), 158  
 Logic gates, 113  
 Logic tests (database managers), 79  
 Lossless compression, 164  
 Lossy compression, 308  
 Lotus 1-2-3, 49  
 Low-level programming languages, 57  
 Luddites, 45  
 LZ (Lempe and Ziv) adaptive dictionary-based  
     algorithm, 164-165


## M

Machine language, 57, 117  
 Macros, 51, 98  
 Magnetic deflection yokes (Super-VGA monitors),  
     226  
 Magnetic disks, 141  
     constant angular velocity, 289  
     electromagnetism, 142-143  
     formatting, 141  
     sectors, 141, 146  
     tracks, 141, 146  
     magnetic film, 144  
 Magnetic drives, read/write heads, 141, 144  
 Magnetic film (magnetic disks), 144  
 Magneto-optical (MO) drives, 172, 181-182  
 Mail reflector (email), 351  
 Mailing lists (email), 351  
 Mainframe computers, 46  
 Manchester Mark I computer, 46  
 Master connections, 216  
*The Matrix*, 320  
 Matrix matching (OCR), 256

- MCA (Microchannel Architecture), 202  
 Memo files, 85  
 Memory  
   addresses (PC cards), 262  
   caches, 186  
   cooperative multitasking, 67  
   dual-ported, 319  
   nonvolatile, 262  
   RAM (random access memory), 9  
     address lines, 118  
     capacitors, 119-121  
     data lines, 118  
     DIMMs (Dual In-line Memory Modules), 121  
     DRAM (Dynamic random access memory), 121  
     ECCs (Error Correcting Codes), 121  
     EDORAM (Extended Data Out random access memory), 121  
     flash memory, 117  
     PC cards, 262  
     reading data from, 120-121  
     SDRAM (Synchronous DRAM), 121  
     SIMMs (Single In-line Memory Modules), 121  
     SRAM (Static random access memory), 121  
     switches, 119-121  
     transistors, 118  
     VRAM (Video random access memory), 121  
     writing to, 118  
   registers (PC cards), 262  
   ROM, 9  
   swapping, 68  
   virtual, 67-68  
   Windows, 66-67  
 Memory registers, 18  
 Memory-resident viruses, 98  
 Menus (Windows), 65  
 Merkle, Ralph, 131  
 Metafiles, 72  
   streaming audio, 356  
     decoding packets, 356-357  
     launching players, 356-357  
     transferring packets, 356-357  
 Metal-oxide varistor (MOV), 199  
 Metatext (search engines), 367  
 Micro Instrumentation and Telemetry Systems (MITS), 7  
 Micro-operations (processors), 127  
 Microchannel Architecture, 202  
 Microchips. *See also* Processors  
   atomic, 132  
   clocks, 9  
   invention of, 39-41  
   optical, 132  
   portable computers, 259  
   predictions about, 130-133  
   quantum, 132-133  
   traces, 130-131  
   transistors, 113  
 Microprocessors. *See* Processors  
 Microsoft Baseball 3D, 318  
 MIDI (musical instrument digital interface), 300-301  
 MIME (multipurpose Internet mail extensions), 351  
 Minicomputers (spreadsheets), 90  
 MIP (multum in parvum) mapping, 316  
 Mirror sites (Web browsers), 363  
 Mirrors as pixels (digital light processing), 231  
 MITS (Micro Instrumentation and Telemetry Systems), 7  
 MMX, 128  
 MO (magneto-optical) drives, 172, 181-182  
 Modems, 13, 245-248  
   56K, 250-251  
   cable, 348-349  
   demodulating, 245  
   DSL (digital subscriber line), 245  
   ISDN (integrated services digital network), 245  
   lights, 249  
   modulating, 245  
   portable computers, 260  
 Modulating modems, 245  
 Modules, 103-104  
 Monitors. *See* Displays  
 Moore, Gordon, 130  
 Motion capture, 318  
 Motion Pictures Expert Group (MPEG), 308  
 Mouse, 233  
   encoders, 234  
   pointing devices, 234-235  
   ports, 13  
 MOV (metal-oxide varistor), 199  
 MP3 music, 305  
 MPC-3 (Multimedia PC 3), 282  
 MPEG (Motion Pictures Expert Group), 308



MR (Modem Ready) modems, 249  
 Mu-law codec (56K modems), 251  
 Multichannel sound, 302  
 Multimedia  
     applications, 78  
     CDs, 283  
     Internet and, 283  
     predictions about, 320-323  
     sound. *See* Sound  
     standards, 282  
     video, 308-309  
     virtual reality, 283-284  
 Multimedia PC 3 (MPC-3), 282  
 Multipurpose Internet mail extensions (MIME), 351  
 Multitasking. *See* Cooperative multitasking  
 Multum in parvum (MIP) mapping, 316  
 Music, MP3, 305  
 Musical instrument digital interface (MIDI),  
     300-301



## N

N-type silicon, 114-115  
 NAP (network access point), 345  
 Near-field recording (hard drives), 181  
 Network communications, 342  
     application layer, 342  
     data-link layer, 342  
     network layer, 342  
     physical layer, 343  
     presentation layer, 342  
     session layer, 343  
     transport layer, 343  
 Network interface cards. *See* NICs  
 Network layer (network communications), 342  
 Network topologies  
     Ethernet, 331  
     star, 331  
     token ring, 331  
 Networks  
     cables, 333  
     clients, 331-332  
     connecting, 333  
     Ethernet, 334-335  
     neural, 104  
     nodes, 331  
     peer-to-peer, 331-332  
     phone/power line, 338-339

    servers, 331-332  
     stars, 336-337  
 Neural networks, 104  
 Neutrons, 142  
 NICs (network interface cards), 333  
     cable modems, 349  
     DSL connections, 346  
 Nodes  
     Ethernet networks, 335  
     LANs, 332  
     networks, 331  
     star networks, 336-337  
     transceivers (Ethernet networks), 334  
 Noise reduction, 302  
 Nonconductors, 142  
 Nonvolatile memory, 262  
 Norton, Peter, 49  
 Notebook PCs. *See* Portable computers

## O

OAW (optically-assisted Winchester) hard drives,  
     181-182  
 Object linking and embedding. *See* OLE  
 Object-oriented graphics, 72  
 Objects (OLE), 74  
 OCR (optical character-recognition), 253, 256-257  
     degradation, 256  
     matrix matching, 256  
     spelling checker, 257  
 OEM (original equipment manufacturer) text, 72  
 OEM Service Release 2 (OSR2), 163  
 Offline storage, 136  
 Offline UPS, 198  
 Offset, 62, 63  
 OH (Off-Hook) modems, 249  
 OLE (object linking and embedding), 74-75  
     compound documents, 74  
     DLLs, 74-75  
     embedding, 75  
     linking, 74  
     objects, 74  
     reminders, 74  
 OLECLI.DLL file, 74  
 Online UPS, 198  
 OPC (organic photoconducting cartridge), 385

Operating systems, 21, 51-53

BIOS (basic input/output system), 27

drivers, 30-31

interrupts, 28

plug and play, 32-33

CP/M-86, 52

DOS, 52

functions of, 27

OS/2, 53

Windows, 53-54

Optical character-recognition. *See* OCR

Optical grayscale position sensor (joysticks), 241

Optical microchips, 132

Optical mouse, 235

Optically-assisted Winchester (OAW) hard drives, 181-182

Organic photoconducting cartridge (OPC), 385

Original equipment manufacturer (OEM) text, 72

OS/2, 53

Oscillation valves, 108

OSR2 (OEM Service Release 2), 163

Outline fonts, 377, 380-381

Output, 58

## P

P-type silicon, 114-115

Packets

data transfers (Internet), 344

IP, cable modems, 348

streaming audio

decoding from server, 356-357

transferring from server, 356-357

video compression

corrupt, 359

IP multicast, 359

UDP, 359

Palmtop PCs, 259, 264-265

Palo Alto Research Center (PARC), 189

Pancomputer, 40-41

Paperless office, 374

Parallel ports, 13, 209-211

select line, 210

strobe, 210

Parallel processing, 131

PARC (Palo Alto Research Center), 189

Parent tables, 88

Parity bits (modems), 247

Parsing, 58

Passive UPS, 198

Passive-matrix color LCDs, 228-229

PC cards (portable computers), 261-263

PC-Talk, 49

PCI (Peripheral Component Interconnect) local bus, 202-203, 206

PCI expansion slots, 13

PCs

digital devices, 245

invention of, 7-8

.PCX file extension, 92

PDA (personal digital assistant), 259, 264-265

Peer-to-peer networks, 331-332

Pentium processors, 124-127

486 comparison, 124

branching, 127

BTBs (branch target buffers), 127

decoders, 127

fetch/decode unit, 127

floating point numbers, 126

instruction pool, 127

JEU (jump execution unit), 126

micro-operations, 127

MMX, 128

Pentium III, 129

ReOrder Buffer, 127

retirement units, 126

speculative execution, 127

Xeon processors, 125

Perceived sound, 304

Perception, 321

Peripheral Component Interconnect (PCI) local bus, 202-203, 206

Personal digital assistant, 259, 264-265

Perspective correction (virtual reality), 316

Phase change technology, rewriting to disc, 294

Phoenix and Award BIOS chips Web sites, 37

Phone line networks, 338-339

Phosphor current streams (color monitors), 95

Phosphors (CRTs), 227

Photo-sensitive diode (3.5-inch floppy drives), 155

Photodiodes, 172, 194

Physical layer, network communications, 343

Piezo controller, solid-ink color printers, 394



- Piezo-electric sensors (joysticks), 241
- Pin connectors, 15
- Pipelining, 125
- Pits
  - CD-ROMs, 288
  - DVDs, 292
- Pixelation, 316
- Pixels, 225
  - bitmaps, turning on and off, 92
  - color bitmaps, bit requirements, 93
  - location data, 92
  - mirrors as, digital light processing, 231
  - values, 95
  - virtual, 93
- Platters (hard drives), 157
- Players (audio), launching with metafiles, 356-357
- Plug and play, 32-33
- Point locations (drawing vector graphics), 96
- Point-to-point connections, 346
- Pointers, 86, 90
- Pointing devices, 190
  - digitizing tablets, 233
  - eraserheads, 233
  - joysticks, 239-241
    - force-feedback, 239, 242-243
    - pointing devices, 233
    - sensing positions, 241
    - top hat, 241
    - X-Y axis coordinates, 240
    - Y-adapter, 240
    - yokes, 240
  - mouse, 233
    - encoders, 234
    - pointing devices, 234-235
    - ports, 13
  - pointing sticks, 237, 261
  - touch pads, 233, 236
  - touch screens, 233
  - trackballs, 233-234
- Pointing sticks (portable computers), 237, 261
- Polarization (magneto-optical drives), 172
- Polarizing filters (color LCDs), 228-229
- Polygons
  - 3D graphic acceleration, 314-316
  - full animation, 318
- POP (post office protocol), 351, 353
- Portable computers, 259
  - components of, 260-261
  - eyepiece displays, 259
  - LCDs, 228-229
  - palmtop PCs, 259, 264-265
  - PC cards, 261-263
  - voice recognition, 259
- Ports, 209
  - IDE (integrated drive electronics), 216
  - EIDE (Enhanced Integrated Device Electronics), 209, 216
  - keyboard, 13
  - mouse, 13
  - parallel, 13, 209-211
  - SCSI (Small Computer System Interface), 209, 217-219
  - serial, 13, 209, 212-213
  - USB (universal serial bus), 13, 214-215
- Possible colors, Super-VGA monitors, 226
- POST (power-on self-test), 11, 17-19
- Post office protocol (POP), 351, 353
- Potentiometer (joysticks), 241
- Power line networks, 338-339
- Power sags, 199
- Power supplies, 12
- Power surges, 199
- Power-on self-test (POST), 11, 17-19
- Predictions, 38-41
  - I/O, 276-279
  - Internet, 368-371
  - microchips, 130-133
  - multimedia, 320-323
  - printers, 396-397
  - software, 102-105
  - storage, 180-183
- Presentation layer (network communications), 342
- Primary keys (tables), 88
- Print cartridge (color ink-jet printers), 390
- Print commands
  - algorithms, 380
  - bitmapped fonts, 378-379
- Print servers, 331-332
- Printer commands (fonts), 381
- Printers, 377
  - advances, 374
  - color, 388-389
    - ink-jet, 390-391
    - laser, 387, 392-393
    - thermal, 387



- control codes, 382
- dot matrix, 377, 382-383
- dye diffusion thermal transfer (D2T2), 387
- fonts, firmware, 380
- impact, 382-383
- ink-jet, 387
- laser, 384-385
- predictions about, 396-397
- solid-ink, 387, 394-395
- tandem, 393
- write-black, 384
- write-white, 384
- Printing pins, 383
- Priorities (data transfers)
  - interrupt transfers, second highest, 215
  - isochronous, highest priority, 215
  - time permitting, 215
- Privacy issues
  - future of computers and, 41
  - Pentium III serial numbers, 129
- Processors, 28-29, 123. *See also* Microchips
  - arithmetic functions, 124
  - caches, 125-126
  - coprocessors, 124
  - CPUs (central processing units), 123-124
  - floating-point numbers, 124
  - Intel
    - 486, 124
    - 8088, 124
    - 80x86, 124
    - Pentium. *See* Pentium processors
  - parallel processing, 131
  - pipelining, 125
  - registers, 69
- Program counter, 18
- Program flow, 60-61
- Programming
  - defined, 44
  - history, 46-47
- Programming languages, 57
  - assembly language, 57-58
  - C, 58
  - high-level, 57
  - interpreters, 62-63
  - Java, 58
  - low-level, 57
  - machine language, 57

- program flow, 60-61
  - software construction, 58-59
- Protocols, 344
- Protons, 142
- Proxy servers (Web browsers), 363
- PSTN (public switched telephone network), 251
- Pulse code modulation (56K modems), 251

## Q

- QIC (quarter-inch cartridge) tape drives, 169, 176-177
- Quantum bits, 133
- Quantum microchips, 132-133
- Qubits (quantum bits), 133
- Queries, 79
- Queues, 69

## R

- R-axis (joysticks), 241
- Radio receivers, GPSs, 271
- RADSL (rate adaptive DSL), 347
- RAM (random access memory), 9, 21, 117, 307
  - address lines, 118
  - capacitors, closed, 119-121
  - data, writing, 118-119
  - data lines, 118
  - DIMMs (Dual In-line Memory Modules), 121
  - DRAM (Dynamic random access memory), 121
  - ECCs (Error Correcting Codes), 121
  - EDO RAM (Extended Data Out random access memory), 121
  - flash memory, 117
  - PC cards, 262
  - portable computers, 260
  - printers, 382
  - reading data from, 120-121
  - SDRAM (Synchronous DRAM), 121
  - SIMMs (Single In-line Memory Modules), 121
  - SRAM (Static random access memory), 121
  - switches, 119-121
  - transistors, 118
  - VRAM (Video random access memory), 121
- RAMAC Disk File, 137
- Random access, 307
- Random access memory. *See* RAM
- Raster scanning (CRTs), 227



Rate adaptive DSL (RADSL), 347  
 RD (Receive Data), modems, 249  
 Read-only memory (ROM), 9, 32  
 Read/write heads, 137  
     3.5-inch floppy drives, 154-155  
     function of, 144-145  
     hard drives, 159  
     magnetic drives, 141, 144  
 Reading  
     bits from disks, 144-145  
     data, RAM (random access memory), 120-121  
     files from disks, 150-151  
 Real-time clock, 13  
 Receive Data line (modems), 246  
 Receivers (GPSs), 271  
 Record structures, 84  
 Records, 79  
     finding, 84  
     fixed-length fields, 84  
     modifying, 84  
     storage, 86-87  
     variable-length fields, 85  
 Red lasers (DVD-RAM), 295  
 Refresh rates (Super-VGA monitors), 226  
 Registers, 58  
     memory (PC cards), 262  
     processors, 69  
 Relational databases, 79, 88-89  
 Reminders (OLE), 74  
 Removable drives, 12  
 Removable storage  
     DAT (digital audio tape) drives, 178-179  
     hard drives, 174-175  
     QIC (quarter-inch cartridge) tape drives, 176-177  
     tape drives, 169  
 Rendering engines, 315  
 ReOrder Buffer (processors), 127  
 Repeaters (Internet), 345  
 Replication (viruses), 98  
 Reports (databases), 79, 89  
 -REQ line, 219  
 Request to Send signal. *See* RTS signal  
 Requestor line, 219  
 Resistance, 187  
 Resistors, 15, 194, 199  
 Resolution, analog/digital converters, 195  
 Resource arbitration, 33

Restoring files from tapes, 177, 179  
 Retirement units (processors), 126  
 Reverb (sound), 304  
 Reverse Polish notation (spreadsheet formulas), 90  
 Ribbon cables, 15, 217  
 Rich text format (RTF), 72  
 RLE (run-length encoding), 94  
 ROM (read-only memory), 9, 32  
 Routers  
     email, 352  
     Internet access, 344  
     Web browsers, 363  
 Routines, 58  
     calling, 58  
     sharing (Windows), 70-71  
 RS-232 ports, 13, 209, 212-213  
 RTF (rich text format), 72  
 RTS (Request to Send) signal, 248  
 Run-length encoding (RLE), 94

## S

Sampling analog signals, 194  
 Satellites, GPSs, 270  
     broadcast signal timing, 271  
     radio receivers, 271  
 Saving data, 30-31  
 Scan codes (keyboards), 222-223  
 Scanners, 196-197, 253  
     degradation, OCR (optical character-recognition), 256  
     fingerprint recognition  
         IVS (identity verification system), 273  
         software, 272  
     flatbeds, 253-255  
         hand-held, 253  
         sheet-fed, 253  
 SCSI (small computer system interface), 32, 209, 217-219  
 SCSI bus, 217  
 SCSI controller card, 19  
 SCSI controllers, 218  
 SD (Send Data), modems, 249  
 SDRAM (Synchronous DRAM), 121, 207  
 Search engines, 366-367  
 Searching World Wide Web (WWW), 361



- Secondary transfer belts, 393
- Sectors (magnetic disks), formatting, 141, 146
- Security, viruses, 83, 98
  - antivirus software, 99
  - camouflage, 98
  - creating, 98
  - delivery, 98
  - event watching, 98
  - macros, 98
  - memory-resident, 98
  - replications, 98
- Select line (parallel ports), 210
- Semiconductors, 142
- Sending email, 352-353
- Sensing positions (joysticks), 241
- Serial numbers (Pentium III), 129
- Serial ports, 13, 209, 212-213
- Serial UPS, 198
- Server software, email, 351
- Servers, 332
- Session layers, 343
- Shadow masks (Super-VGA monitors), 227
- Shareware, 50
- Sharing
  - data
    - OLE, 74-75
    - Windows Clipboard, 72-73
  - source code (Windows), 70-71
- Sheet-fed scanners, 253
- Shockley, William, 6
- Showing ink (palmtop PCs), 265
- Shutter (3.5-inch floppy drives), 154
- Signature IDs (bitmap headers), 92
- Signature scanners, 22
- Silicon, 131
  - drain, 114-115
  - N-type, 114-115
  - P-type, 114-115
  - source, 114-115
- Silicon transistors, 6, 114-115
- Silicon-on-insulator (SOI) technology, 131
- SIMD (single instruction/multiple data), 128
- SIMMs (single in-line memory modules), 14, 121
- Simple mail transfer protocol (SMTP), 351-352
- Sites (Web), 362
- Six degrees of freedom (6DOF), 313
- Slack (clusters), 162
- Slave connections, 216
- Small computer system interface, 32, 209, 217-219
- SMTP (simple mail transfer protocol), 351-352
- Sockets, circuit boards, 15
- Software, 77
  - antivirus, 99
  - communications, 78
  - creating, 58-59, 103-104
  - database managers, 78-80
  - defined, 44-45
  - fingerprint recognition, 272-273
  - flexibility, 50-51
  - freeware, 49-50
  - graphics, 78, 82-83
    - bitmapped graphics, 92-95
    - vector graphics, 96-97
  - growing complexity of, 103
  - history, 45-47
    - Eniac computer, 46
    - Lotus 1-2-3, 49
    - mainframe computers, 46
    - Visicalc, 47-48
  - kernels, 58
  - multimedia, 78
  - operating systems, 51-54
  - predictions about, 102-105
  - program flow, 60-61
  - programming, 44
  - shareware, 50
  - spreadsheets, 80-81
    - automatic recalc features, 91
    - calculation engines, 91
    - formulas, 90-91
    - minicomputers, 90
  - user groups, 50
  - utilities, 78



- viruses. *See* Viruses
- word processors, 78, 81-82
  - display drivers, 101
  - text formatting, 100-101
- Y2K bug, 35
- SOI (silicon-on-insulator) technology, 131
- Solenoids (printers), 383
- Solid-ink printers, 387, 394-395
- Sorting data (databases), 79
- Sound, 297
  - 3D audio, 304
  - digital, 302-303
  - MIDI (musical instrument digital interface), 300-301
  - MP3 music, 305
  - sound cards. *See* Sound cards
  - voice recognition, 297
- Sound cards, 12, 298-299
  - ADC (analog-to-digital converter) chip, 298-299
  - DAC (digital-to-analog converter) chip, 298
  - DSP (digital signal processor), 299
  - FM synthesis, 301
  - wave-table synthesis, 300
- Source code, 57
  - commenting, 103
  - modules, 103-104
  - sharing (Windows), 70-71
- Source sound, 304
- Speakers, portable computers, 260
- Speculative execution, 127
- Speech recognition. *See* Voice recognition
- Speed
  - access time, 161
  - hard drives, 161
- Spelling checker, OCR (optical character-recognition), 257
- Spiders, 366
- Spindles (hard drives), 158
- Spites, 318
- Splitters
  - cable modems, 349
  - DSL connections, 346-347
- Spreadsheet applications, 80-81
  - automatic recalc features, 91
  - calculation engines, 91
  - formulas, 90-91
  - Lotus 1-2-3, 49
  - minicomputers, 90
  - Visicalc, 47-48
- SRAM (Static random access memory), 121
- Star networks, 331
  - hubs, 336
  - nodes, 336-337
- Start/stop bits (modems), 247
- Static random access memory (SRAM), 121
- Stepper motor (3.5-inch floppy drives), 154
- Storage, 169
  - compression, 161
  - DAT (digital audio tape) drives, 178-179
  - database records, 86-87
  - history, 136-138
  - holographic, 182-183
  - offline, 136
  - on hard drives, 161
  - predictions about, 180-183
  - QIC (quarter-inch cartridge) tape drives, 176-177
  - removable hard drives, 174-175
- Storage devices
  - CD-ROMs, 287
  - DVDs, 287
- Storing images (digital photography), 269
- Streaming
  - Internet audio, 355
    - decoding packets, 356-357
    - metafiles, 356-357
    - transferring packets, 356-357
    - UDP (user datagram protocol), 355
  - Internet video, 355, 358-359
    - capture cards, 358
    - corrupt packets, 359
    - IP multicast packets, 359
    - UDP (user datagram protocol), 355, 359
- Strings, 58
- Strobe (parallel ports), 210
- Stylus (palmtop PCs), 264
- Subtractive color, 388
- Super-VGA monitors
  - adapters, 226
  - CRTs (cathode-ray tubes), 226
    - dot pitch, 227
    - phosphors, 227
    - raster scanning, 227
  - interlaced, 227
  - magnetic deflection yokes, 226



- possible colors, 226
- refresh rates, 226
- shadow masks, 227
- Surface mounting (circuit boards), 15
- Surge protectors, 199
- Swapping (memory), 68
- Switches, 119-121, 123
- Synchronous DRAM (SDRAM), 121, 207
- System files, 9, 21

## T

- T-connectors (networks), 333, 344
- T1 connection (Web browsers), 363
- Tables, 79, 88
- Tandem printers, 393
- Tape drives, 12, 169
  - DAT (digital audio tape), 178-179
  - QIC (quarter-inch cartridge), 176-177
  - restoring files from, 177
- TCP (transmission control protocol), 355
- TCP/IP (transmission control protocol/internet protocol), 328
- Tele-immersion, 370
- Telephone systems, 245
- Terminal adapters, 245
- Terminators (networks), 217, 333
- Tessellation, 314-319
- Texas Instruments, 6-7
- Text
  - attributes, 100
  - formatting, 100-101
  - OEM (original equipment manufacturer), 72
- Texture maps, 316
  - alpha blending, 317
  - caching, 319
- Thermal fuses (surge protectors), 199
- Thin clients, 332
- .TIF file extension, 92
- Time dilation, 35
- Token ring networks, 331
- Tokens (force-feedback joysticks), 242
- Toner (laser printers), 385
- Top hat (joysticks), 241
- Top-level domain name (URLs), 362
- Topologies (networks), 331

- Toroidal choke coils (surge protectors), 199
- Torsion hinges, 230
- Touch pads, 233, 236
- Touch screens, 233
- TR (Terminal Ready), modems, 249
- Traces, 15
  - bus, 201
  - microchips, 130-131
- Trackballs, 233-234
- Tracking time, 34-35
- Tracks
  - clusters, 146
  - magnetic disks, 141, 146
- Transceivers (Ethernet networks), 334
- Transistors, 110, 114-115, 118, 124
  - binary numbers, 113
  - history of, 6
  - logic gates, 113
  - microchips, 113
  - silicon, 6, 114-115
  - switches, 119-121
- Transmission control protocol (TCP), 355
- Transmission control protocol/internet protocol (TCP/IP), 328
- Transmission speeds (modems), 247
- Transmit Data line (modems), 246
- Transport layer (network communications), 343
- Triangulation, 314-319
- Trilinear filtering, 317
- Turing, Alan, 102, 104
- Twisted-pair wiring, 333
- Two frame buffers, 319

## U

- UDP (user datagram protocol), 355, 357, 359
- Uninterruptible power supply (UPS), 198
- Universal DSL, 347
- Universal resource locators. *See* URLs
- Universal serial bus. *See* USB
- Uops (processors), 127
- UPS (uninterruptible power supply), 198
- Upstream data, 347-348
- URLs (universal resource locators), 362
  - //, 362
  - domain name, 362
  - html, 362



http, 362  
 search engines, 366  
 top-level domain name, 362  
 www, 362  
 USB (universal serial bus), 209, 214-215, 241  
   connections (joysticks), 241  
   ports, 13  
 User datagram protocol (UDP), 355, 357, 359  
 User groups, 50  
 User immersion (virtual reality), 311-312  
 Utilities, 78

## V

V.90 modems, 250-251  
 Vacuum tubes, 6, 108-109  
 Variable-length fields, 85  
 Variables, 58-59  
 VDSL (very high-speed DSL), 347  
 Vector fonts, 377, 380-381  
 Vector graphics, 96-97  
 Vertical positions (vector graphics), 96  
 Very high-speed DSL (VDSL), 347  
 VESA local bus (VL-Bus), 202-203  
 VESA (Video Electronics Standards Association), 202  
 VFAT (virtual file allocation table), 146, 159  
 Video, 307  
   ADC (analog-to-digital converter), 309  
   compression, 308-309  
   delta, 308  
   Internet, 355, 358-359  
     bandwidth, 355  
     capture cards, 358  
     corrupt packets, 359  
     IP multicast packets, 359  
     streaming, 355  
     UDP packets, 359  
   MPEG (Motion Pictures Expert Group), 308  
   multimedia, 308-309  
   random access, 307  
 Video adapters  
   DAC converters, 95  
   frame buffers, 95  
   Super-VGA color storage, 226  
 Video cards, 13  
 Video Electronics Standards Association (VESA), 202

Video random access memory (VRAM), 121  
 Videoconferencing, 308  
 Videophones, 278  
 Viewing transform (drawing vector graphics), 97  
 Virtual drives, 163  
 Virtual file allocation table (VFAT), 146, 159  
 Virtual Machine Manager (VMM), 66  
 Virtual memory, 67-68  
 Virtual pixels, 93  
 Virtual reality, 283-284, 311-312  
   accelerated 3D graphics, 314-319  
   accelerometers (controllers), 312  
   data gloves, 313  
   fogging, 317  
   helmets, 313  
   predictions about, 322-323  
 Viruses, 83, 98  
   antivirus software, 99  
   camouflage, 98  
   creating, 98  
   delivery, 98  
   event watching, 98  
   macros, 98  
   memory-resident, 98  
   replication, 98  
 Visicalc, 47-48, 80  
 VL-Bus, 202-203  
 VMM (Virtual Machine Manager), 66  
 Voice recognition, 267, 274-275, 297  
   portable computers, 259  
   prediction about, 277  
 von Nuemann, John, 46  
 VRAM (Video random access memory), 121, 319

## W

WANs (wide-area networks), 333, 344  
 Wave forms (force-feedback joysticks), 242  
 Wave-table synthesis (sound cards), 300  
 Web browsers, 362-365  
   connections through, 363  
   DNS (Domain Name System), 363  
   mirror sites, 363  
   proxy servers, 363  
   routers, 363  
 Web crawlers, 366  
 Web search engines, 366-367

Web sites, 362  
 Wide area networks (WANs), 333, 344  
 Wide-SCSI, 217  
 Windows, 53-54, 65  
     Clipboard, 72-73  
     configuration manager, 32  
     cooperative multitasking, 68-69  
     data, sharing, 72-73  
     DLLs (dynamic link libraries), 70-71  
     GDI (graphic device interface), 72-73  
     interface, 65  
     memory, 66-67  
     menus, 65  
     source code, sharing, 70-71  
     Virtual Machine Manager (VMM), 66  
 Windows 95, VFAT (virtual file allocation table), 146  
 Wire-frame views, 315  
 Word processors, 78, 81-82  
     display drivers, 101  
     text formatting, 100-101  
     WordStar, 50  
 WordStar, 50  
 World Wide Web. *See* WWW  
 Wozniak, Steve, 7  
 Write-black printers, 384  
 Write-once, read-many (WORM), 291  
 Write-protected 3.5-inch floppy drives, 155  
 Write-white printers, 384  
 Writing  
     data to RAM (random access memory), 118-119  
     to disks, 148  
         bits, 144-145  
         clusters, 149  
         end of file marker, 149

www (in URLs), 362  
 WWW (World Wide Web)  
     browsing, 361  
     hyperlinks, 362  
     searching, 361  
     sites. *See* Web sites  
 URLs (universal resource locators), 362  
     //, 362  
     domain name, 362  
     html, 362  
     http, 362  
     search engines, 366  
     top-level domain name, 362  
     www, 362

## X

X-Y axis coordinates (joysticks), 240  
 XML (extensible markup language), 371  
 XOFF control codes (printers), 382  
 XON control codes (printers), 382


## Y

Y-adaptor (joysticks), 240  
 Yokes (joysticks), 240

## Z

Z-buffering, 315-316  
 Zip disks, 170-171  
 Zipping files, 164  
 Zone recording (Zip drives), 171

As Seen in The New York Times



See the inside of the computer and its components.

Detailed explanations walk you through the technology.

—The New York Times

Ron White is a senior editor at *PC Computing*, where he writes the *How It Works* features and the *Freelander* column. Founder of one of the earliest PC user groups, he has been writing about computers for 20 years. The second edition of *How Computers Work* won an award for best non-fiction computer book from the Computer Press Association. He can be reached via email at [ron\\_white@zd.com](mailto:ron_white@zd.com). Also visit the companion Web site at [www.Howcomputerswork.net](http://www.Howcomputerswork.net).

#### SPECIAL MILLENNIUM EDITION INCLUDES:

- ◆ Pentium III and MMX processors
- ◆ New technologies such as fingerprint and voice recognition
- ◆ Notebook and palm computers
- ◆ MP3 music and digital audio
- ◆ Visions of how computers will work in the third millennium
- ◆ How virtual reality equipment adds a third dimension to PC worlds
- ◆ How force feedback controllers, accelerated graphics, and color printing create new ways to work with your PC
- ◆ New Internet browsers, email, and search engines work




0 29236 72112 1

ISBN 0-7897-2112-0



9 780789 721129

Take an interactive tour of your computer with the CD in this book.



\$29.99 USA / \$44.95 CAN / £21.99 Net UK (inc of VAT)

Category	PCs/Hardware
Covers	General Computer Technology
User Level	Beginning—Intermediate

**InformIT**  
Find IT Solutions at  
[www.informit.com](http://www.informit.com)

**que**®

[www.quecorp.com](http://www.quecorp.com)

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**